

Certificates for Douglas McDonald

Basic Information

First Name	Douglas
Last Name	McDonald
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 5 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2025-04-11	Active	Ignocencio Herrera	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2025-04-11	Active	Ignocencio Herrera	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA	2025-04-11	Active	Ignocencio Herrera	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-04-11	Expired	Ignocencio Herrera	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2024-04-11	Expired	Ignocencio Herrera	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					