

Certificates for Chase Richardson

Basic Information

First Name	Chase
Last Name	Richardson
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2021-08-13	Expired	Loren Lee	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-08-13	Expired	Loren Lee	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA	2021-08-13	Expired	Loren Lee	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-08-13	Expired	Loren Lee	(No lab)	(No comments)
CT 211 LA Rattler	2021-08-13	Expired	Loren Lee	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2021-08-13	Expired	Loren Lee	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2021-08-13	Expired	Loren Lee	(No lab)	Created based on CT521 certificate ID68609
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2021-08-13	Expired	Loren Lee	(No lab)	Created based on CT521 certificate ID68609

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					