

Certificates for Troy Hawley

Basic Information

First Name	Troy
Last Name	Hawley
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 3 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-08-14	Expired	Dalton LaBoskey	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-08-14	Expired	Dalton LaBoskey	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-08-14	Expired	Dalton LaBoskey	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2023-08-14	Expired	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2023-08-14	Expired	Dalton LaBoskey	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2023-08-14	Expired	Dalton LaBoskey	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2023-08-14	Expired	Dalton LaBoskey	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2023-09-22	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2023-08-14	Expired	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2023-09-11	Expired	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2023-08-14	Expired	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2023-10-01	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2023-09-11	Expired	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2023-09-22	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2023-10-01	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2023-10-01	Expired	Jackie Treat	(No lab)	(No comments)

Unofficial Copy