

Certificates for Xavier Salomon

Basic Information

First Name	Xavier
Last Name	Salomon
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
Twining Laboratories of Southern California	Corey Rhodes	3310 Airport Way, Long Beach, CA 90806	7	Lab 1

Test Methods

California Test (CT) Certifications

Total **14** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2025-02-07	Active	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2025-02-07	Active	Ashley Shaw	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-02-07	Active	Ashley Shaw	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2025-02-07	Active	Ashley Shaw	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-02-07	Active	Ashley Shaw	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-02-07	Active	Ashley Shaw	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-12-27	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-03-18	Expired	Dalton LaBoskey	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-03-18	Expired	Dalton LaBoskey	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-03-18	Expired	Dalton LaBoskey	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-03-18	Expired	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-03-18	Expired	Dalton LaBoskey	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-03-18	Expired	Dalton LaBoskey	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-03-18	Expired	Dalton LaBoskey	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					