

## Certificates for Joshua Cazares

### Basic Information

<b>First Name</b>	Joshua
<b>Last Name</b>	Cazares
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Deer Creek Asphalt - Jaxon Enterprises	Jordan Baker	27671 Avenue 120, Porterville, CA 93257	6	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-03-05	Expired	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2021-09-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2021-10-23	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-03-05	Expired	Dalton LaBoskey	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2021-10-23	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-09-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2021-10-23	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-12-11	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2021-09-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-03-05	Expired	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-03-05	Expired	Benjamin Martinez	Lab 1	Did not participate in 2022 CSP CT 202. Please contact CSP@dot.ca.gov for reinstatement instructions.
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-03-05	Expired	Dalton LaBoskey	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-09-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2021-09-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 211 LA Rattler	2021-09-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-03-05	Expired	Dalton LaBoskey	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-03-05	Expired	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-03-05	Expired	Dalton LaBoskey	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-03-05	Expired	Dalton LaBoskey	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-03-05	Expired	Dalton LaBoskey	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2021-09-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2023-09-04	Expired	Dalton LaBoskey	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2021-09-04	Expired	Martiniano Ruiz	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2023-12-11	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2023-12-11	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2023-12-11	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2023-12-11	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-02-18	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2023-12-11	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-02-18	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2023-12-11	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-02-18	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-02-18	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-02-18	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2023-12-11	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2023-12-11	Expired	Sarbjit Grewal	Lab 1	(No comments)