

Certificates for Lovina Valenzuela

Basic Information

First Name	Lovina
Last Name	Valenzuela
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
City of San Jose	Lorina Popescu	1661 Senter Road, Building A, 1st floor, San Jose, CA 95112	4	Lab 1

Test Methods

California Test (CT) Certifications

Total **10** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-03-08	Active	Gabriela Lopez	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 211 LA Rattler	2025-02-23	Active	Ed Gamboa	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2025-07-20	Active	Ed Gamboa	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2025-07-20	Active	Ed Gamboa	Lab 1	(No comments)
CT 331 Residue by Evaporation	2026-02-23	Active	Ed Gamboa	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2025-07-20	Active	Ed Gamboa	Lab 1	(No comments)
CT 389 Hamburg Wheel-Track	2025-07-20	Active	Ed Gamboa	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **20** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-03-08	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2025-02-23	Active	Ed Gamboa	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2025-02-23	Active	Ed Gamboa	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2025-02-23	Active	Ed Gamboa	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2026-04-27	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2026-04-27	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2026-04-27	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2026-04-27	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2026-04-27	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2025-02-23	Active	Ed Gamboa	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2025-07-20	Active	Ed Gamboa	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T331 Bulk Specific Gravity - vacuum seal method	2026-02-23	Active	Ed Gamboa	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-03-08	Active	Gabriela Lopez	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2025-02-23	Active	Ed Gamboa	Lab 1	(No comments)