

## Certificates for Anthony Becerra

### Basic Information

<b>First Name</b>	Anthony
<b>Last Name</b>	Becerra
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
BSK Associates	Adam Terronez	700 22nd Street, Bakersfield, CA 93301	6	Lab 1

### Test Methods

### California Test (CT) Certifications

Total 3 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2021-10-30	Expired	Martiniano Ruiz	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2021-10-30	Expired	Martiniano Ruiz	Lab 1	Created based on CT521 certificate ID69895
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2021-10-30	Expired	Martiniano Ruiz	Lab 1	Created based on CT521 certificate ID69895

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					