

Certificates for Brandon O'Brien

Basic Information

First Name	Brandon
Last Name	O'Brien
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
Vulcan Materials Company - Fresno	Aaron Godfrey	3570 West Ashlan Avenue, Fresno, CA 93722	6	Lab 1

Test Methods

California Test (CT) Certifications

Total **20** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-07-16	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2022-03-23	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-07-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-07-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2022-03-23	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2022-03-23	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 211 LA Rattler	2022-03-23	Expired	Martiniano Ruiz	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 212 Unit Weight of Aggregates	2022-03-24	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2022-03-23	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2022-03-24	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2022-03-25	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-07-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2022-03-25	Expired	Martiniano Ruiz	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **19** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-07-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-07-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-07-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-07-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2022-03-23	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2022-03-23	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2021-01-14	Expired	Martiniano Ruiz	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-07-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2021-01-14	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-07-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2021-01-14	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2021-01-14	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2022-03-25	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2021-11-05	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2021-01-14	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2021-12-03	Expired	Martiniano Ruiz	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T324 Hamburg Wheel-Track	2022-03-24	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-07-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-07-16	Expired	Sarbjit Grewal	Lab 1	(No comments)