Date: 2024-04-25



# Certificates for Srikanth Shanmugampillai

## **Basic Information**

| Last Name Shanmugampillai | First Name | Srikanth        |  |
|---------------------------|------------|-----------------|--|
| Status                    | Last Name  | Shanmugampillai |  |
| Status                    | Status     | Active          |  |

### **Associated Labs**

#### Total 1 item.

| Lab Name             | Manager Name | Full Address                                   | District | Page Alias |
|----------------------|--------------|--|----------|------------|
| Converse Consultants | Babak Abbasi | 717 South Myrtle Avenue,<br>Monrovia, CA 91016 | 7        | Lab 1      |

### **Test Methods**

# California Test (CT) Certifications

Total 2 items.

| Test Method   | Expiration<br>Date | Status  | IA Responsible | Within<br>Lab(s)<br>Scope | Comments   |
|---|--------------------|---------|----------------|---------------------------|--|
| CT 521.2<br>Compressive<br>Strength - PCC<br>(ASTM C39 / C1231) | 2022-08-26         | Expired | Majid Fahrtosh | (No lab)                  | Created based on<br>CT521 certificate<br>ID77108 |

Date: 2024-04-25



| Test Method  | Expiration<br>Date | Status  | IA Responsible | Within<br>Lab(s)<br>Scope | Comments   |
|--|--------------------|---------|----------------|---------------------------|--|
| CT 521.1<br>Compressive<br>Strength - PCC<br>(ASTM C39 / C617) | 2022-08-26         | Expired | Majid Fahrtosh | (No lab)                  | Created based on<br>CT521 certificate<br>ID77108 |

# **AASHTO/ASTM Proficiencies**

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s)<br>Scope | Comments |
|-------------------|-----------------|--------|----------------|------------------------|----------|
| No results found. |                 |        |                |                        |          |