

Certificates for James Woodhead

Basic Information

First Name	James
Last Name	Woodhead
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-03-26	Expired	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-03-26	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-03-26	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 211 LA Rattler	2022-11-18	Expired	Alexis England	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2022-11-18	Expired	Alexis England	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-03-26	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 368 OBC of OGAC	2022-11-18	Expired	Alexis England	(No lab)	(No comments)
CT 389 Hamburg Wheel-Track	2022-11-18	Expired	Alexis England	(No lab)	(No comments)
CT 643 Resistivity and pH Measurements	2022-11-18	Expired	Alexis England	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 16 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-03-26	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-03-26	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-03-26	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-03-26	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2022-11-18	Expired	Alexis England	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2023-11-19	Expired	Zuri Abajian	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-03-26	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2023-11-19	Expired	Zuri Abajian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-03-26	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2023-11-19	Expired	Zuri Abajian	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2023-11-19	Expired	Zuri Abajian	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2023-11-19	Expired	Zuri Abajian	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2024-06-01	Expired	Alexis England	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2022-11-18	Expired	Alexis England	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-03-26	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-03-26	Expired	Soroosh Amelian	(No lab)	(No comments)