

## Certificates for Ayman Nabulsi

### Basic Information

<b>First Name</b>	Ayman
<b>Last Name</b>	Nabulsi
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D08 - Fontana Southern Regional Laboratory	Ron Longazo	13970 Victoria Street, Fontana, CA 92336	8	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 1 item.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 368 OBC of OGAC	2025-02-17	Active	Majid Fahrtoosh	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total 6 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2026-10-26	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2026-10-26	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2026-10-26	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2026-10-26	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2024-11-15	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2026-10-26	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)