

Certificates for Maria Ramirez

Basic Information

First Name	Maria
Last Name	Ramirez
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
UCPRC - Davis	Jeffrey Buscheck	3327 Apiary Drive, Davis, CA 95616	3	Lab 1

Test Methods

California Test (CT) Certifications

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

AASHTO/ASTM Proficiencies

Total 10 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO PP3 Rolling Wheel Compaction of HMA specimens	2021-12-08	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO R47(03-0H10U4) Reducing Samples of HMA (Project: 03-0H10U4)	2021-12-01	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO R83 Performance Test Specimens using the (SGC)	2021-12-08	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO TP124 Fracture Potential of Asphalt Mixtures	2021-12-01	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T166(03-0H10U4) Bulk SpG of Compacted HMA - SSD	2021-11-19	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T209(03-0H10U4) Max SpG and Density - HMA	2021-11-20	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2021-11-30	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T321 Beam Fatigue Testing	2021-12-07	Expired	Ignocencio Herrera	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T331 Bulk Specific Gravity - vacuum seal method	2021-11-19	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T378 AMPT	2021-12-11	Expired	Ignocencio Herrera	Lab 1	(No comments)

Unofficial Copy