

Certificates for Trent Somerville

Basic Information

| | |
|-------------------|------------|
| First Name | Trent |
| Last Name | Somerville |
| Status | Active |

Associated Labs

Total 1 item.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|---------------|------------------|------------------------------------|----------|------------|
| UCPRC - Davis | Jeffrey Buscheck | 3327 Apiary Drive, Davis, CA 95616 | 3 | Lab 1 |

Test Methods

California Test (CT) Certifications

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |

AASHTO/ASTM Proficiencies

Total 6 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|---------|--------------------|---------------------|---------------|
| AASHTO R47(03-0H10U4) Reducing Samples of HMA (Project: 03-0H10U4) | 2022-07-19 | Expired | Soroosh Amelian | Lab 1 | (No comments) |
| AASHTO TP124 Fracture Potential of Asphalt Mixtures | 2022-07-09 | Expired | Soroosh Amelian | Lab 1 | (No comments) |
| AASHTO T166(03-0H10U4) Bulk SpG of Compacted HMA - SSD | 2021-12-04 | Expired | Ignocencio Herrera | Lab 1 | (No comments) |
| AASHTO T312 Gyratory Compactor | 2022-07-07 | Expired | Soroosh Amelian | Lab 1 | (No comments) |
| AASHTO T331 Bulk Specific Gravity - vacuum seal method | 2021-12-08 | Expired | Ignocencio Herrera | Lab 1 | (No comments) |
| ASTM D8225(03-0H10U4) IDEAL CT | 2022-07-19 | Expired | Soroosh Amelian | (No lab) | (No comments) |