

Certificates for Jonathan De Jong

Basic Information

First Name	Jonathan
Last Name	De Jong
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
County of Santa Clara	Aioub Hashemi	11030 Doyle Road, San Jose, CA 95129	4	Lab 1

Test Methods

California Test (CT) Certifications

Total 34 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2024-09-30	Active	David Small	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-03-11	Active	Gabriela Lopez	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-03-11	Active	Avinash Ralla	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-03-11	Active	Avinash Ralla	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2024-09-30	Active	David Small	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2024-09-30	Active	David Small	Lab 1	(No comments)
CT 211 LA Rattler	2026-03-26	Active	David Small	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 212 Unit Weight of Aggregates	2025-03-07	Active	David Small	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-03-11	Active	Avinash Ralla	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-03-11	Active	Avinash Ralla	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-03-11	Active	Avinash Ralla	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-03-11	Active	Avinash Ralla	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2025-03-11	Active	Avinash Ralla	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2026-05-08	Active	David Small	Lab 1	(No comments)
CT 301 "R" Value	2024-10-20	Active	David Small	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2025-02-28	Active	David Small	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 375 AC Density by Nuclear Gage	2025-03-07	Active	David Small	Lab 1	(No comments)
CT 389 Hamburg Wheel-Track	2026-03-26	Active	David Small	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-03-27	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-03-27	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2026-05-08	Active	David Small	Lab 1	Created based on CT521 certificate ID83235
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2026-05-08	Active	David Small	Lab 1	Created based on CT521 certificate ID83235
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-03-27	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 531 Core Length - PCC	2025-03-07	Active	David Small	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2025-03-07	Active	David Small	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-03-27	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-03-27	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-03-27	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-03-27	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-03-27	Active	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **20** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2025-03-07	Active	David Small	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2025-03-07	Active	David Small	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2026-03-26	Active	David Small	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2027-05-23	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2027-05-23	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2027-05-23	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2027-05-23	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2026-03-26	Active	David Small	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2027-05-23	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2026-03-26	Active	David Small	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2026-03-26	Active	David Small	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2026-03-26	Active	David Small	Lab 1	(No comments)