

Certificates for Carlos Cardenas

Basic Information

First Name	Carlos
Last Name	Cardenas
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
Sierra Material Testing & Inspection	Alex Rojas	1003 Industry Way, Suite A, El Centro, CA 92243	11	Lab 1

Test Methods

California Test (CT) Certifications

Total **10** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2022-02-26	Expired	Afsaneh Ostovar	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2022-02-26	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2028-11-06	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2028-11-06	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2028-11-06	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2028-11-06	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2028-11-06	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2028-11-06	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2028-11-06	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2028-11-06	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					