

Certificates for Jonathan Casanova

Basic Information

First Name	Jonathan
Last Name	Casanova
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants, Incorporated	Ruben Jimenez	361 West Grove Avenue, Orange, CA 92865	12	Lab 1
Sequoia Consultants	Ruben Jimenez	4395 East Lowell Street, Suite A, Ontario, CA 91761	8	Lab 2

Test Methods

California Test (CT) Certifications

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-06-28	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-06-28	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-06-28	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-06-28	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 204 LL, PL, PI	2026-04-30	Active	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-06-28	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 211 LA Rattler	2026-04-30	Active	Ashley Shaw	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-06-28	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2024-06-28	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-06-28	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-06-28	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2024-06-28	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 301 "R" Value	2026-04-30	Active	Ashley Shaw	Lab 1	(No comments)
CT 531 Core Length - PCC	2024-11-01	Active	Benjamin Martinez	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 5 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2026-10-26	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2026-10-26	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2026-10-26	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2026-10-26	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2026-10-26	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)