

## Certificates for Brittany Adams

### Basic Information

<b>First Name</b>	Brittany
<b>Last Name</b>	Adams
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
California Testing & Inspections	Juan Martinez	2434 Southport Way, Suite Q, National City, CA 91950	11	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-03-11	Expired	Roy(Chip) Denner	(No lab)	Created based on CT521 certificate ID72687

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-03-11	Expired	Roy(Chip) Denner	(No lab)	Created based on CT521 certificate ID72687
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-03-11	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-03-11	Expired	Roy(Chip) Denner	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					