

Certificates for Donald Rogers

Basic Information

First Name	Donald
Last Name	Rogers
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D10 - Cherokee Field Laboratory	Mandeep Dhesi	3256 Tomahawk Drive, Stockton, CA 95205	10	Lab 1

Test Methods

California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2022-03-26	Expired	Ed Gamboa	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 CEM Sampling - CEM	2022-03-26	Expired	Ed Gamboa	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2022-03-26	Expired	Ed Gamboa	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2022-03-26	Expired	Ed Gamboa	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					