

Certificates for Douglas Stuart

Basic Information

First Name	Douglas
Last Name	Stuart
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Earth Systems Pacific - San Luis Obispo	Nick Zoetewey	4378 Old Santa Fe Road, San Luis Obispo, CA 93401	5	Lab 1

Test Methods

California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2022-04-07	Expired	Martiniano Ruiz	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA	2022-04-07	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-03-18	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2022-03-18	Expired	Martiniano Ruiz	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					