

Certificates for Rhea Osorio

Basic Information

First Name	Rhea
Last Name	Osorio
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-04-30	Expired	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-04-30	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-06-04	Active	Soroosh Amelian	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-06-04	Active	Soroosh Amelian	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-06-04	Active	Soroosh Amelian	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-06-04	Active	Soroosh Amelian	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-06-04	Active	Soroosh Amelian	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-06-04	Active	Soroosh Amelian	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-06-04	Active	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-05-14	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-05-14	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-05-13	Active	Shaya Meisamifard	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-12-27	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-12-27	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2022-12-27	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-05-14	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-05-14	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-05-14	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-05-14	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-05-14	Active	Sarbjit Grewal	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 11 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-07-22	Active	Soroosh Amelian	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-07-22	Active	Soroosh Amelian	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-07-22	Active	Soroosh Amelian	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	(No lab)	(No comments)