

Certificates for Nathan Nolley

Basic Information

First Name	Nathan
Last Name	Nolley
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Atlas	Darren Hicks	9085 Aero Drive, Suite B, San Diego, CA 92123	11	Lab 1

Test Methods

California Test (CT) Certifications

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-06-15	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-06-15	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-06-15	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-06-15	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-06-15	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-06-15	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-06-15	Expired	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					