

Certificates for Mario Uribe

Basic Information

First Name	Mario
Last Name	Uribe
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Twining Laboratories	Christian Masse	120 Main Avenue, Sacramento, CA 95838	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 24 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2022-04-22	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2022-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2022-04-22	Expired	Jackie Treat	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-03-04	Active	Avinash Ralla	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-03-04	Active	Avinash Ralla	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-03-04	Active	Avinash Ralla	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2024-03-29	Expired	Ignocencio Herrera	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2024-03-29	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 211 LA Rattler	2025-03-29	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2024-03-29	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 213 Organic Impurities of PCC sand	2024-03-29	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 214 Sodium Sulfate Soundness	2024-03-29	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-03-04	Active	Avinash Ralla	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-03-04	Active	Avinash Ralla	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-03-04	Active	Avinash Ralla	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-03-04	Active	Avinash Ralla	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2025-03-04	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 234 Uncompacted void - Fine Aggregates	2025-03-29	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2024-03-29	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 389 Hamburg Wheel-Track	2024-03-29	Expired	Ignocencio Herrera	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2024-03-29	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2024-03-29	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2024-03-29	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2024-03-29	Expired	Ignocencio Herrera	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2024-03-29	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2024-03-29	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2024-03-29	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2024-03-29	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2024-03-29	Expired	Ignocencio Herrera	Lab 1	(No comments)
ASTM D8225 Cracking Tolerance Index using ITC Test	2024-03-29	Expired	Ignocencio Herrera	(No lab)	(No comments)

Unofficial Copy