

Certificates for Nicholas Hoffmann

Basic Information

First Name	Nicholas
Last Name	Hoffmann
Status	Active

Associated Labs

Total 4 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Atlas Technical Consultants Mobile Lab #2	Samir El-Chammas	431 South Broadway, Blythe, CA 92225	8	Lab 1
Atlas Technical Consultants LLC	Mehrab Jesmani	14457 Meridian Parkway, Riverside, CA 92518	8	Lab 2
Atlas Technical Consultants - Whittier	Samir El-Chammas	12409 Slauson Avenue, Suite I, Whittier, CA 90606	7	Lab 3
Atlas Technical Consultants Mobile Lab #1	Samir El-Chammas	431 South Broadway , Blythe, CA 92225	8	Lab 4

Test Methods

California Test (CT) Certifications

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2025-05-25	Active	Majid Fahrtosh	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-05-25	Active	Majid Fahrtosh	Lab 2, Lab 4	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-05-25	Active	Majid Fahrtosh	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 CEM Sampling - CEM	2025-05-25	Active	Majid Fahrtosh	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 GEN Sampling - GENERAL	2025-05-25	Active	Majid Fahrtosh	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 HMA Sampling - HMA	2025-05-25	Active	Majid Fahrtosh	Lab 2, Lab 4	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-03-16	Expired	Dalton LaBoskey	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-03-16	Expired	Dalton LaBoskey	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2024-03-16	Expired	Dalton LaBoskey	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-03-16	Expired	Dalton LaBoskey	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-03-16	Expired	Dalton LaBoskey	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-03-16	Expired	Dalton LaBoskey	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-03-16	Expired	Dalton LaBoskey	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-03-16	Expired	Dalton LaBoskey	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					