

Certificates for Christopher Quon

Basic Information

First Name	Christopher
Last Name	Quon
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT HQ - Structure Construction		, , CA	59	Lab 1

Test Methods

California Test (CT) Certifications

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-10-08	Active	Sarbjit Grewal	(No lab)	Provisional cert given on 5/24/2021

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-10-08	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-10-08	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-10-08	Active	Sarbjit Grewal	(No lab)	Provisional cert given on 5/24/2021
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-10-08	Active	Sarbjit Grewal	(No lab)	Provisional cert given on 5/24/2021
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-10-08	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 547 Bridge Profilograph	2022-08-19	Expired	Ed Gamboa	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-10-08	Active	Sarbjit Grewal	(No lab)	Provisional cert given on 5/24/2021
CT 557 Temperature - PCC (JTCP - PCC)	2026-10-08	Active	Sarbjit Grewal	(No lab)	Provisional cert given on 5/24/2021

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy