

Certificates for Jennifer Cervantes

Basic Information

First Name	Jennifer
Last Name	Cervantes
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-05-28	Expired	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-05-28	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-05-28	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-07-16	Suspended	Benjamin Martinez	(No lab)	Did not participate in 2022 CSP CT 202. Please contact CSP@dot.ca.gov for reinstatement instructions.
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-09-23	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-05-28	Expired	Soroosh Amelian	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-05-28	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-05-28	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-05-28	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-05-28	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2022-09-24	Expired	Martiniano Ruiz	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2022-09-30	Expired	Martiniano Ruiz	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-05-28	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO T210 Aggregate Durability Index	2022-09-23	Expired	Martiniano Ruiz	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-05-28	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2022-09-23	Expired	Martiniano Ruiz	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-05-28	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-05-28	Expired	Soroosh Amelian	(No lab)	(No comments)