

Certificates for Andres Robles

Basic Information

First Name	Andres
Last Name	Robles
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-09-03	Active	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2022-10-06	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-09-03	Active	Soroosh Amelian	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-05-20	Active	Martiniano Ruiz	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2025-05-20	Active	Martiniano Ruiz	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2025-05-20	Active	Martiniano Ruiz	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2022-06-30	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-09-03	Suspended	Benjamin Martinez	(No lab)	Did not participate in 2022 CSP CT 202. Please contact CSP@dot.ca.gov for reinstatement instructions.
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2022-09-29	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2022-09-29	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 211 LA Rattler	2022-11-10	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-05-20	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2022-08-18	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2022-08-18	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-10-27	Expired	Martiniano Ruiz	(No lab)	Created based on CT521 certificate ID78844
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-10-27	Expired	Martiniano Ruiz	(No lab)	Created based on CT521 certificate ID78844

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy