

## Certificates for Jasael Ruiz

### Basic Information

<b>First Name</b>	Jasael
<b>Last Name</b>	Ruiz
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CGI Technical Services, Inc.	Tanner Jones	1612 Insight Place, Redding, CA 96003	2	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 16 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-05-10	Active	Alexis England	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2022-06-23	Expired	Loren Lee	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-05-10	Active	Alexis England	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-05-10	Active	Alexis England	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2024-05-10	Active	Alexis England	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-05-10	Active	Alexis England	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-05-10	Active	Alexis England	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					