

## Certificates for Tyler Walhood

### Basic Information

<b>First Name</b>	Tyler
<b>Last Name</b>	Walhood
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
G3 Quality, Incorporated - Sacramento	Travis Van-Y	1174 National Drive, Suite 10, Sacramento, CA 95834	3	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2022-06-24	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA	2022-06-24	Expired	Jackie Treat	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-08-20	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-08-20	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-06-24	Expired	Jackie Treat	Lab 1	Created based on CT521 certificate ID75131
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-06-24	Expired	Jackie Treat	Lab 1	Created based on CT521 certificate ID75131
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-08-20	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-06-24	Expired	Jackie Treat	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-06-24	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2022-06-24	Expired	Jackie Treat	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-08-20	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-08-20	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-08-20	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-08-20	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-08-20	Active	Sarbjit Grewal	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					