

## Certificates for Westley Hargleroad

### Basic Information

<b>First Name</b>	Westley
<b>Last Name</b>	Hargleroad
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Twining Laboratories of Southern California	Corey Rhodes	3310 Airport Way, Long Beach, CA 90806	7	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2026-01-26	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year cert IA 68

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2026-01-26	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year cert IA 68
CT 125 BIT Sampling - BITUMINOUS	2026-01-26	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year cert IA 68
CT 125 CEM Sampling - CEM	2026-01-26	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year cert IA 68
CT 125 GEN Sampling - GENERAL	2026-01-26	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year cert IA 68
CT 125 HMA Sampling - HMA	2026-01-26	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year cert IA 68
CT 231 Relative Compaction - Nuclear Gage	2024-12-27	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2023-08-12	Expired	Ashley Shaw	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-05-11	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-05-11	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-05-11	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-05-11	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-05-11	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-05-11	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-05-11	Expired	Sarbjit Grewal	Lab 1	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					