

## Certificates for Greg Lawyer

### Basic Information

<b>First Name</b>	Greg
<b>Last Name</b>	Lawyer
<b>Status</b>	Active

### Associated Labs

Total **2** items.

Lab Name	Manager Name	Full Address	District	Page Alias
Koury Engineering	Gerrit Schriemer	5711 Schaefer Ave., Chino, CA 91710	8	Lab 1
MB Professional Services, Incorporated	Vance Olsen	786 South Gifford Ave, San Bernardino, CA 92408	8	Lab 2

### Test Methods

#### California Test (CT) Certifications

Total **10** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2022-06-17	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-07-15	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-07-15	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-07-15	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2022-06-17	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-07-15	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-07-15	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-07-15	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-07-15	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2022-07-15	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy