

Certificates for Alvin Anggito

Basic Information

First Name	Alvin
Last Name	Anggito
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-05-14	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-05-14	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-05-14	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-05-14	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-05-14	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-05-14	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-05-14	Active	Sarbjit Grewal	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					