

## Certificates for Alexis Rouza

### Basic Information

<b>First Name</b>	Alexis
<b>Last Name</b>	Rouza
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
UCPRC - Davis	Jeffrey Buscheck	3327 Apiary Drive, Davis, CA 95616	3	Lab 1

### Test Methods

#### California Test (CT) Certifications

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

#### AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R47(03-0H10U4) Reducing Samples of HMA (Project: 03-0H10U4)	2022-07-19	Expired	Soroosh Amelian	Lab 1	(No comments)
AASHTO R83 Performance Test Specimens using the (SGC)	2022-07-19	Expired	Soroosh Amelian	Lab 1	(No comments)
AASHTO TP124 Fracture Potential of Asphalt Mixtures	2022-07-19	Expired	Soroosh Amelian	Lab 1	(No comments)
AASHTO T166(03-0H10U4) Bulk SpG of Compacted HMA - SSD	2022-07-07	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T209(03-0H10U4) Max SpG and Density - HMA	2022-07-07	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2022-07-07	Expired	Soroosh Amelian	Lab 1	(No comments)
AASHTO T331 Bulk Specific Gravity - vacuum seal method	2022-07-07	Expired	Ignocencio Herrera	Lab 1	(No comments)
ASTM D8225(03-0H10U4) IDEAL CT	2022-07-19	Expired	Soroosh Amelian	(No lab)	(No comments)