

Certificates for Michael Maksimovich

Basic Information

First Name	Michael
Last Name	Maksimovich
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
UCPRC - Davis	Jeffrey Buscheck	3327 Apiary Drive, Davis, CA 95616	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-09-30	Active	Avinash Ralla	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-09-30	Active	Avinash Ralla	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-09-30	Active	Avinash Ralla	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-09-30	Active	Avinash Ralla	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2028-06-23	Active	Gabriela Lopez	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2028-06-23	Active	Gabriela Lopez	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2028-06-23	Active	Gabriela Lopez	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2028-06-23	Active	Gabriela Lopez	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2028-06-23	Active	Gabriela Lopez	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2028-06-23	Active	Gabriela Lopez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2028-06-23	Active	Gabriela Lopez	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2028-06-23	Active	Gabriela Lopez	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **16** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-09-30	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-09-30	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-09-30	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO R47(03-0H10U4) Reducing Samples of HMA (Project: 03-0H10U4)	2022-07-19	Expired	Soroosh Amelian	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-09-30	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R83 Performance Test Specimens using the (SGC)	2022-07-09	Expired	Soroosh Amelian	Lab 1	(No comments)
AASHTO TP124 Fracture Potential of Asphalt Mixtures	2022-07-09	Expired	Soroosh Amelian	Lab 1	(No comments)
AASHTO T166(03-0H10U4) Bulk SpG of Compacted HMA - SSD	2022-07-07	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-09-30	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T209(03-0H10U4) Max SpG and Density - HMA	2022-07-07	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-09-30	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2022-07-07	Expired	Soroosh Amelian	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-09-30	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T331 Bulk Specific Gravity - vacuum seal method	2022-07-07	Expired	Ignocencio Herrera	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-09-30	Active	Avinash Ralla	(No lab)	(No comments)
ASTM D8225(03-0H10U4) IDEAL CT	2022-07-19	Expired	Soroosh Amelian	(No lab)	(No comments)

Unofficial Copy