

## Certificates for Chizitere Ozuruigbo

### Basic Information

|                   |           |
|-------------------|-----------|
| <b>First Name</b> | Chizitere |
| <b>Last Name</b>  | Ozuruigbo |
| <b>Status</b>     | Active    |

### Associated Labs

Total 2 items.

| Lab Name                                     | Manager Name           | Full Address                                     | District | Page Alias |
|--|------------------------|--|----------|------------|
| CT D08 - Hesperia<br>Construction Acceptance | KaushalKumar G. Talati | 15255 Bear Valley<br>Road, Hesperia, CA<br>92345 | 8        | Lab 1      |
| CT D08 - Barstow<br>Construction Acceptance  | KaushalKumar G. Talati | 1800 Dill Road,<br>Barstow, CA 92311             | 8        | Lab 2      |

### Test Methods

## California Test (CT) Certifications

Total 24 items.

| Test Method   | Expiration Date | Status | IA Responsible  | Within Lab(s) Scope | Comments      |
|---|-----------------|--------|-----------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A)             | 2027-06-07      | Active | Gabriela Lopez  | Lab 1, Lab 2        | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)           | 2027-06-07      | Active | Gabriela Lopez  | Lab 1, Lab 2        | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I)                        | 2027-06-07      | Active | Gabriela Lopez  | Lab 1, Lab 2        | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)    | 2024-10-15      | Active | Soroosh Amelian | Lab 1, Lab 2        | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2024-10-15      | Active | Soroosh Amelian | Lab 1, Lab 2        | (No comments) |
| CT 205 Percent Crushed Particles (JTCP - S&A)                   | 2024-10-15      | Active | Soroosh Amelian | (No lab)            | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)  | 2024-10-15      | Active | Soroosh Amelian | Lab 1, Lab 2        | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A)                             | 2024-10-15      | Active | Soroosh Amelian | Lab 1, Lab 2        | (No comments) |

| Test Method   | Expiration Date | Status | IA Responsible    | Within Lab(s) Scope | Comments      |
|---|-----------------|--------|-------------------|---------------------|---------------|
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)                   | 2024-10-15      | Active | Soroosh Amelian   | Lab 1, Lab 2        | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A)   | 2024-10-15      | Active | Soroosh Amelian   | Lab 1, Lab 2        | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage                                     | 2025-08-29      | Active | Ashley Shaw       | Lab 1, Lab 2        | (No comments) |
| CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)                    | 2027-06-07      | Active | Gabriela Lopez    | (No lab)            | (No comments) |
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)                      | 2026-11-12      | Active | Soroosh Amelian   | Lab 1, Lab 2        | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC)   | 2026-11-12      | Active | Soroosh Amelian   | Lab 1, Lab 2        | (No comments) |
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2026-11-12      | Active | Soroosh Amelian   | Lab 1, Lab 2        | (No comments) |
| CT 523.2 Section B.3 Flexural Strength (Lab Test)                             | 2026-03-21      | Active | Benjamin Martinez | Lab 1, Lab 2        | (No comments) |
| CT 524 Flexural Strength of Rapid Strength - PCC                              | 2026-03-21      | Active | Benjamin Martinez | Lab 1, Lab 2        | (No comments) |

| Test Method  | Expiration Date | Status | IA Responsible    | Within Lab(s) Scope | Comments      |
|--|-----------------|--------|-------------------|---------------------|---------------|
| CT 533 Ball Penetration - PCC                              | 2026-03-21      | Active | Benjamin Martinez | Lab 1, Lab 2        | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC)                | 2026-11-12      | Active | Soroosh Amelian   | Lab 1, Lab 2        | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC)                 | 2026-11-12      | Active | Soroosh Amelian   | Lab 1, Lab 2        | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2026-11-12      | Active | Soroosh Amelian   | (No lab)            | (No comments) |
| CT 552 Relative Compaction of Polymer Concrete             | 2024-10-09      | Active | Rabiul Hyder      | Lab 1, Lab 2        | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC)                            | 2026-11-12      | Active | Soroosh Amelian   | (No lab)            | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC)                      | 2026-11-12      | Active | Soroosh Amelian   | Lab 1, Lab 2        | (No comments) |

## AASHTO/ASTM Proficiencies

Total **10** items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------|-----------------|--------|----------------|---------------------|----------|
|-------------|-----------------|--------|----------------|---------------------|----------|

| Test Method   | Expiration Date | Status | IA Responsible  | Within Lab(s) Scope | Comments      |
|---|-----------------|--------|-----------------|---------------------|---------------|
| AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)  | 2027-06-07      | Active | Gabriela Lopez  | Lab 1, Lab 2        | (No comments) |
| AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I) | 2027-06-07      | Active | Gabriela Lopez  | Lab 1, Lab 2        | (No comments) |
| AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)                     | 2027-06-07      | Active | Gabriela Lopez  | Lab 1, Lab 2        | (No comments) |
| AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)                     | 2027-06-07      | Active | Gabriela Lopez  | Lab 1, Lab 2        | (No comments) |
| AASHTO T176 Sand Equivalent (JTCP - HMA I)                            | 2027-06-07      | Active | Gabriela Lopez  | Lab 1, Lab 2        | (No comments) |
| AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)                 | 2024-08-26      | Active | Soroosh Amelian | Lab 1, Lab 2        | (No comments) |
| AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)                | 2027-06-07      | Active | Gabriela Lopez  | (No lab)            | (No comments) |

| Test Method   | Expiration Date | Status | IA Responsible  | Within Lab(s) Scope | Comments      |
|---|-----------------|--------|-----------------|---------------------|---------------|
| AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)                      | 2024-08-26      | Active | Soroosh Amelian | Lab 1, Lab 2        | (No comments) |
| AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I) | 2027-06-07      | Active | Gabriela Lopez  | (No lab)            | (No comments) |
| AASHTO T335 Percentage of Fracture (JTCP - HMA I)               | 2027-06-07      | Active | Gabriela Lopez  | (No lab)            | (No comments) |

Unofficial Copy