

Certificates for Anthony D Garcia

Basic Information

First Name	Anthony D
Last Name	Garcia
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group - Main Laboratory	Thomas Junker	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 1

Test Methods

California Test (CT) Certifications

Total **27** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2024-11-09	Active	Shaya Meisamifard	Lab 1	To Adjust with 3 years certifications
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-11-05	Incomplete	Soroosh Amelian	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2024-11-09	Active	Shaya Meisamifard	Lab 1	To Adjust with 3 years certifications
CT 125 BIT Sampling - BITUMINOUS	2024-11-09	Active	Shaya Meisamifard	Lab 1	To Adjust with 3 years certifications
CT 125 CEM Sampling - CEM	2024-11-09	Active	Shaya Meisamifard	Lab 1	To Adjust with 3 years certifications
CT 125 GEN Sampling - GENERAL	2024-11-09	Active	Shaya Meisamifard	Lab 1	To Adjust with 3 years certifications
CT 125 HMA Sampling - HMA	2024-11-09	Active	Shaya Meisamifard	Lab 1	To Adjust with 3 years certifications
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-11-05	Suspended	Benjamin Martinez	Lab 1	Did not participate in 2022 CSP CT 202. Please contact CSP@dot.ca.gov for reinstatement instructions.
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-11-05	Incomplete	Soroosh Amelian	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-11-05	Incomplete	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2024-12-01	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-11-30	Active	Robby Rodriguez	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-01-29	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-01-29	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-01-29	Active	Avinash Ralla	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-01-29	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-01-29	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 541 Flow Cone	2024-11-30	Active	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-01-29	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-01-29	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-01-29	Active	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					