

Certificates for Isaac Urrutia

Basic Information

First Name	Isaac
Last Name	Urrutia
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **13** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2024-11-09	Active	Shaya Meisamifard	(No lab)	To Adjust with 3 years certifications

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2024-11-09	Active	Shaya Meisamifard	(No lab)	To Adjust with 3 years certifications
CT 125 HMA Sampling - HMA	2024-11-09	Active	Shaya Meisamifard	(No lab)	To Adjust with 3 years certifications
CT 231 Relative Compaction - Nuclear Gage	2024-08-23	Active	Robby Rodriguez	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2024-08-23	Active	Robby Rodriguez	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2028-02-15	Active	Gabriela Lopez	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2028-02-15	Active	Gabriela Lopez	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2028-02-15	Active	Gabriela Lopez	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2028-02-15	Active	Gabriela Lopez	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2028-02-15	Active	Gabriela Lopez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2028-02-15	Active	Gabriela Lopez	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2028-02-15	Active	Gabriela Lopez	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2028-02-15	Active	Gabriela Lopez	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					