

Certificates for Dickson Sum

Basic Information

| | |
|-------------------|---------|
| First Name | Dickson |
| Last Name | Sum |
| Status | Active |

Associated Labs

Total 1 item.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|--------------------|--------------|----------------------------------------------|----------|------------|
| Montez Group, Inc. | Shawn Malone | 249 Onondaga Avenue, San Francisco, CA 94112 | 4 | Lab 1 |

Test Methods

California Test (CT) Certifications

Total 8 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|----------------------------------------------------------|-----------------|--------|----------------------|---------------------|---------------|
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2028-04-14 | Active | Firooz Ahmad Hosainy | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------------------------------------------------------------------|-----------------|--------|----------------------|---------------------|---------------|
| CT 518 Unit Weight - PCC (JTCP - PCC) | 2028-04-14 | Active | Firooz Ahmad Hosainy | Lab 1 | (No comments) |
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2028-04-14 | Active | Firooz Ahmad Hosainy | Lab 1 | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2028-04-14 | Active | Firooz Ahmad Hosainy | Lab 1 | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2028-04-14 | Active | Firooz Ahmad Hosainy | Lab 1 | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2028-04-14 | Active | Firooz Ahmad Hosainy | Lab 1 | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC) | 2028-04-14 | Active | Firooz Ahmad Hosainy | Lab 1 | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC) | 2028-04-14 | Active | Firooz Ahmad Hosainy | Lab 1 | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |