

Certificates for Marley Lee

Basic Information

First Name	Marley
Last Name	Lee
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Kleinfelder, Incorporated - Sacramento	Chris Pollack	3130 Kilgore Rd. Suite 200, Rancho Cordova, CA 95670	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 204 LL, PL, PI	2024-12-06	Active	Ignocencio Herrera	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2024-12-06	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2024-12-06	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 213 Organic Impurities of PCC sand	2023-10-26	Expired	Ed Gamboa	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-12-06	Active	Ed Gamboa	Lab 1	Created based on CT521 certificate ID77655
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-12-06	Active	Ed Gamboa	Lab 1	Created based on CT521 certificate ID77655
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2023-10-25	Expired	Ed Gamboa	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2023-10-25	Expired	Ed Gamboa	Lab 1	(No comments)
CT 531 Core Length - PCC	2023-10-24	Expired	Ed Gamboa	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 3 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2024-12-06	Active	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2024-12-06	Active	Ignocencio Herrera	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2023-11-01	Expired	Ed Gamboa	Lab 1	(No comments)