

Certificates for Jimmy Martin

Basic Information

First Name	Jimmy
Last Name	Martin
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **12** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2024-11-16	Active	Rabiul Hyder	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2024-11-16	Active	Rabiul Hyder	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2023-09-28	Expired	Rabiul Hyder	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-02-15	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-02-15	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2025-02-15	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2023-09-28	Expired	Rabiul Hyder	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-02-15	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-02-15	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-02-15	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2025-02-15	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2025-02-15	Active	Sarbjit Grewal	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					