

Certificates for Kevyn Thaxton

Basic Information

First Name	Kevyn
Last Name	Thaxton
Status	Active

Associated Labs

Total 4 items.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group - Main Laboratory	Thomas Junker	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 1
RMA Group	Slawek Dymerski	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 2
RMA Mobile Laboratory #11	Ray Alcantara	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 3
RMA Mobile Laboratory #12	Steve Pitzer	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 4

Test Methods

California Test (CT) Certifications

Total 25 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-05-20	Active	Avinash Ralla	Lab 1, Lab 3, Lab 4	(No comments)
CT 125 AGG Sampling - AGGREGATES	2024-11-08	Active	Robby Rodriguez	Lab 1, Lab 3, Lab 4	(No comments)
CT 125 HMA Sampling - HMA	2025-03-29	Active	Shaya Meisamifard	Lab 1, Lab 3, Lab 4	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1, Lab 3, Lab 4	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1, Lab 3, Lab 4	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1, Lab 3, Lab 4	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1, Lab 3, Lab 4	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1, Lab 3, Lab 4	(No comments)
CT 229 Durability (JTCP - S&A)	2025-05-20	Incomplete	Avinash Ralla	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2026-05-02	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2026-05-02	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-12-11	Active	Dalton LaBoskey	Lab 1, Lab 3, Lab 4	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-12-11	Active	Dalton LaBoskey	Lab 1, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-12-11	Active	Rabiul Hyder	Lab 1, Lab 3, Lab 4	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2026-05-02	Active	Roy(Chip) Denner	Lab 1, Lab 3, Lab 4	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2026-05-02	Active	Roy(Chip) Denner	Lab 1, Lab 3, Lab 4	(No comments)
CT 533 Ball Penetration - PCC	2026-05-02	Active	Roy(Chip) Denner	Lab 1, Lab 3, Lab 4	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-12-11	Active	Dalton LaBoskey	Lab 1, Lab 3, Lab 4	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-12-11	Active	Dalton LaBoskey	Lab 1, Lab 3, Lab 4	(No comments)
CT 541 Flow Cone	2026-05-02	Active	Roy(Chip) Denner	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-12-11	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2025-12-11	Active	Dalton LaBoskey	Lab 1, Lab 3, Lab 4	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-12-11	Active	Dalton LaBoskey	Lab 1, Lab 3, Lab 4	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					