

## Certificates for James Raymond

### Basic Information

<b>First Name</b>	James
<b>Last Name</b>	Raymond
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2022-08-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2022-08-23	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2022-08-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 214 Sodium Sulfate Soundness	2022-08-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-08-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2022-08-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-08-23	Expired	Jackie Treat	(No lab)	Created based on CT521 certificate ID77041
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-08-23	Expired	Jackie Treat	(No lab)	Created based on CT521 certificate ID77041

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					