

Certificates for James Raymond

Basic Information

First Name	James
Last Name	Raymond
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2022-08-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2022-08-23	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2022-08-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 214 Sodium Sulfate Soundness	2022-08-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-08-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2022-08-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-08-23	Expired	Jackie Treat	(No lab)	Created based on CT521 certificate ID77041
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-08-23	Expired	Jackie Treat	(No lab)	Created based on CT521 certificate ID77041

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					