

Certificates for Marvin Samaile

Basic Information

First Name	Marvin
Last Name	Samaile
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
City of San Jose	Lorina Popescu	1661 Senter Road, Building A, 1st floor, San Jose, CA 95112	4	Lab 1

Test Methods

California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-11-19	Active	Robby Rodriguez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-11-19	Incomplete	Avinash Ralla	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-11-19	Active	Robby Rodriguez	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-05-06	Suspended	Robby Rodriguez	Lab 1	contact jtcp coordinator for details
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-05-06	Suspended	Avinash Ralla	Lab 1	contact jtcp coordinator for details
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-05-06	Suspended	Avinash Ralla	Lab 1	contact jtcp coordinator for details
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-05-06	Suspended	Avinash Ralla	Lab 1	contact jtcp coordinator for details
CT 217 Sand Equivalent (JTCP - S&A)	2025-05-06	Suspended	Avinash Ralla	Lab 1	contact jtcp coordinator for details

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-05-06	Suspended	Avinash Ralla	Lab 1	contact jtcp coordinator for details
CT 227 Cleanness Value (JTCP - S&A)	2025-05-06	Suspended	Avinash Ralla	Lab 1	contact jtcp coordinator for details
CT 229 Durability (JTCP - S&A)	2025-05-06	Suspended	Avinash Ralla	Lab 1	contact jtcp coordinator for details
CT 231 Relative Compaction - Nuclear Gage	2023-10-21	Expired	David Small	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-11-19	Active	Robby Rodriguez	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-11-19	Active	Robby Rodriguez	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-11-19	Active	Robby Rodriguez	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-11-19	Active	Robby Rodriguez	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-11-19	Active	Robby Rodriguez	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-11-19	Active	Robby Rodriguez	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-11-19	Active	Robby Rodriguez	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-11-19	Active	Robby Rodriguez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-11-19	Active	Robby Rodriguez	Lab 1	(No comments)

Unofficial Copy