

## Certificates for Caitlin Romero

### Basic Information

<b>First Name</b>	Caitlin
<b>Last Name</b>	Romero
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Twining Laboratories of Southern California	Corey Rhodes	3310 Airport Way, Long Beach, CA 90806	7	Lab 1

### Test Methods

### California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2025-07-12	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2025-07-12	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert.
CT 125 BIT Sampling - BITUMINOUS	2025-07-12	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert.
CT 125 CEM Sampling - CEM	2025-07-12	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert.
CT 125 GEN Sampling - GENERAL	2025-07-12	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert.
CT 125 HMA Sampling - HMA	2025-07-12	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert.
CT 375 AC Density by Nuclear Gage	2024-07-11	Active	Majid Fehrtosh	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-10-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-10-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-10-15	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-10-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-10-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-10-15	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-10-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-10-15	Active	Sarbjit Grewal	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					