

Certificates for Corey Hicks

Basic Information

First Name	Corey
Last Name	Hicks
Status	Active

Associated Labs

Total **2** items.

Lab Name	Manager Name	Full Address	District	Page Alias
Smith Emery Laboratories - Anaheim	Carlos Lievanos	1195 North Tustin Avenue, Anaheim, CA 92807	12	Lab 1
Smith Emery - Los Angeles	Janeth Quintero	781 East Washington Boulevard, Los Angeles, CA 90021	7	Lab 2

Test Methods

California Test (CT) Certifications

Total **29** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2025-02-15	Active	Edwin Rojas Flores	Lab 1, Lab 2	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2027-03-11	Active	Edwin Rojas Flores	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2027-03-11	Active	Edwin Rojas Flores	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2027-03-11	Active	Edwin Rojas Flores	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2026-02-15	Active	Edwin Rojas Flores	Lab 1, Lab 2	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2026-02-15	Active	Edwin Rojas Flores	Lab 1, Lab 2	(No comments)
CT 211 LA Rattler	2024-05-09	Expired	Majid Fehrtosh	Lab 1, Lab 2	(No comments)
CT 214 Sodium Sulfate Soundness	2024-05-09	Expired	Majid Fehrtosh	Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-10-23	Active	Ashley Shaw	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-03-18	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-03-18	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-03-18	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-03-18	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-03-18	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-03-18	Active	Dalton LaBoskey	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2027-03-18	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-03-18	Active	Dalton LaBoskey	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-03-10	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-03-10	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-03-10	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-03-10	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-03-10	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-01-28	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1	(No comments)

Unofficial Copy