

Certificates for Victor Suarez

Basic Information

First Name	Victor
Last Name	Suarez
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-12-17	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-10-27	Expired	Martiniano Ruiz	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2023-12-01	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-12-17	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-12-01	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2023-11-09	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2023-12-01	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2025-06-30	Active	Martiniano Ruiz	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2023-10-27	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2023-10-27	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 211 LA Rattler	2023-11-09	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-06-21	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 370 Moisture Content by Microwave	2023-09-29	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2023-09-29	Expired	Martiniano Ruiz	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					