Certificates for Erika Estrada

Basic Information

First Name	Erika
Last Name	Estrada
Status	Active

Associated Labs

Total **2** items.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants, Incorporated	Ruben Jimenez	361 West Grove Avenue, Orange, CA 92865	12	Lab 1
Sequoia Consultants, Incorporated	Ruben Jimenez	3403 West El Segundo Boulevard, Hawthorne, CA 90250	7	Lab 2

Test Methods

California Test (CT) Certifications

Total **15** items.

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2025-07-11	Active	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-07-11	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-07-11	Active	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2025-07-11	Active	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2025-07-11	Active	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA	2025-07-11	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-07-11	Active	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-10-22	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-10-22	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-10-22	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-10-22	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-10-22	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-10-22	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-10-22	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-10-22	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy