

# Certificates for Christopher McGee

## Basic Information

<b>First Name</b>	Christopher
<b>Last Name</b>	McGee
<b>Status</b>	Active

## Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
California Testing & Inspections, Incorporated	Fabiola Jaque	15957 Vermont Avenue, Paramount, CA 90723	7	Lab 1

## Test Methods

### California Test (CT) Certifications

Total 11 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2027-01-10	Active	Majid Fahrtoosh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA	2027-01-10	Active	Majid Fahrtoosh	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-01-10	Active	Majid Fahrtoosh	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-07-20	Active	Avinash Ralla	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-07-20	Active	Avinash Ralla	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2024-07-20	Active	Avinash Ralla	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-07-20	Active	Avinash Ralla	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-07-20	Active	Avinash Ralla	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-07-20	Active	Avinash Ralla	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-07-20	Active	Avinash Ralla	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-07-20	Active	Avinash Ralla	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy