

Certificates for Sara Durfee

Basic Information

First Name	Sara
Last Name	Durfee
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-01-07	Active	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-01-07	Active	Soroosh Amelian	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-01-07	Active	Soroosh Amelian	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-01-07	Active	Soroosh Amelian	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-01-07	Active	Soroosh Amelian	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-01-07	Active	Soroosh Amelian	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-01-07	Active	Soroosh Amelian	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-01-07	Active	Soroosh Amelian	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-01-07	Active	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2025-01-07	Active	Soroosh Amelian	(No lab)	(No comments)
CT 301 "R" Value	2023-07-18	Expired	Husam Makhoul	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2023-02-02	Expired	Ignocencio Herrera	(No lab)	Created based on CT521 certificate ID80682
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2023-02-02	Expired	Ignocencio Herrera	(No lab)	Created based on CT521 certificate ID80682
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-12-23	Expired	Maryam Shahbazi	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-12-23	Expired	Maryam Shahbazi	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					