

Certificates for Siegfried Mendoza

Basic Information

First Name	Siegfried
Last Name	Mendoza
Status	Active

Associated Labs

Total 4 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Smith Emery Laboratories - Anaheim	Carlos Lievanos	1195 North Tustin Avenue, Anaheim, CA 92807	12	Lab 1
AESCO, Incorporated	David Ryan	17782 Georgetown Lane, Huntington Beach, CA 92647	12	Lab 2
Smith Emery - Los Angeles	Janeth Quintero	781 East Washington Boulevard, Los Angeles, CA 90021	7	Lab 3
Smith Emery - Ponderosa	Dinesh Shrestha	9733 Ponderosa Road, Hanford, CA 93230	6	Lab 4

Test Methods

California Test (CT) Certifications

Total 27 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 204 LL, PL, PI	2026-03-01	Active	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2026-03-01	Active	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2026-03-01	Active	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 211 LA Rattler	2026-05-09	Active	Edwin Rojas Flores	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 214 Sodium Sulfate Soundness	2026-05-09	Active	Edwin Rojas Flores	Lab 3, Lab 4	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 301 "R" Value	2026-06-21	Active	Ashley Shaw	Lab 1, Lab 2, Lab 4	Needs written test in 2026
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-05-12	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-05-12	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2023-05-12	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-05-12	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-05-12	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 4	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-05-12	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2023-05-12	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 4	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-05-12	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 4	(No comments)
CT 643 Resistivity and pH Measurements	2024-10-23	Active	Ashley Shaw	Lab 2, Lab 4	(No comments)

AASHTO/ASTM Proficiencies

Total **15** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-02-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-02-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-02-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-02-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2023-09-28	Expired	Martiniano Ruiz	Lab 4	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-02-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
ASTM D4791 Flat and Elongated Particles	2023-09-28	Expired	Martiniano Ruiz	Lab 1, Lab 4	(No comments)